

1 June 1970

2WWTN 70-2

AD708141

Forecasting Reduced Visibilities Due to Atmospheric Aerosols

by

Capt Richard L. Walterscheid

RECEIVED
18 JUN 1970
18 JUN 1970

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information Springfield Va 22151

Best Available Copy

Hq, 2d Weather Wing

APO 09332

1 June 1970

This document has been approved for public release and sale; its distribution is unlimited.

1 June 1970

2WWTN 70-2

Forecasting Reduced Visibilities Due to Atmospheric Aerosols

In recent years the problem of forecasting low visibilities in inversion dominated regimes has become less a problem of forecasting restrictions owing to condensed water droplets (fog) but rather has become more a problem of forecasting low visibilities owing to suspended particles (pollution, haze, etc.). We are concerned more today with forecasting low visibilities prior to condensation. The following quote from Kasten [1] describes the process with which we are concerned:

"Before the onset of fog formation, the so-called phase of pre-condensation is indicated by increasing humidity and decreasing visibility. With rising humidity, the aerosol particles are more and more soaked with water from the surrounding humid air and swell. The increase in particle size reduces the visibility. Quantitatively, the variation of size distribution of the aerosol particles has to be taken into account."

Based on the observational work of Winkler [2] a relationship between particle radius and relative humidity was determined. From this relationship a formula was derived which enables one to calculate the visibility (V) at the forecast relative humidity (f) when the visibility (V_0) at the present relative humidity (f_0) is known (Kasten, [1]).

This document has been approved for public release and sale; its distribution is unlimited.


1 June 1970

This formula is (assuming an "average" aerosol):

$$\frac{V}{V_0} = \left(\frac{100 - r}{100 - f_0} \right)^{\frac{1}{2}}$$

Figure 1 is a graphical rendering of this formula. Suppose we have at forecast time a certain visibility and relative humidity, say 2.5 nmi and 85% respectively. This graph enables us to determine the visibility at some later time given that we are able to forecast the relative humidity, say 95%. Entering our numerical example on the graph; we begin at the value of 95% on the abscissa (the axis representing the forecast relative humidity), proceed vertically until the sloping line labeled 85% (the initial relative humidity) is intersected, and then proceed horizontally to the left vertical axis and read the value of V/V_0 , in this case 0.58. Multiplying the initial visibility, 2.5 nmi, by 0.58 we arrive at the forecast visibility, namely, 1.5 nmi.

The applicability of this relationship is not limited to cases where fog eventually forms or to cases where relative humidities increase; the method can be used to forecast visibilities given decreasing relative humidities.



References

1. Kasten, F., "Visibility Forecast in the Phase of Pre-Condensation," Tellus, Vol 21, No 5, 1969, pp 631-635.
2. Winkler, F., "Das Wachstum von Aerosolteilchenproben in Abhängigkeit von der relativen Feuchte," Mainz, Diplom-Thesis at The Faculty for Natural Sciences of the Johannes Gutenberg University. Partly to be published in Annalen der Meteorologie, Neue Folge No 4 (1969).

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

2a. REPORT SECURITY CLASSIFICATION

Unclassified

2b. GROUP

N/A

2d Weather Wing

3. REPORT TITLE

Forecasting Reduced Visibilities Due to Atmospheric Aerosols

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

Technical Note

5. AUTHOR(S) (First name, middle initial, last name)

Capt Richard L. Walterscheid

6. REPORT DATE

1 June 1970

7a. TOTAL NO. OF PAGES

4

7b. NO. OF REFS

2

8a. CONTRACT OR GRANT NO.

b. PROJECT NO.

c.

d.

9a. ORIGINATOR'S REPORT NUMBER(S)

2VS Project 568

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

2WWTN 70-2

10. DISTRIBUTION STATEMENT

This document has been approved for public release and sale; its distribution is unlimited.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

2d Weather Wing (V)

13. ABSTRACT

The problem of forecasting low visibilities has become less a problem of forecasting restrictions owing to condensed water droplets but rather has become more a problem of forecasting low visibilities owing to suspended particles. This paper discusses a formula and graph to calculate forecast visibility given initial conditions of visibility and relative humidity.

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Visibility Pollution Relative Humidity						

UNCLASSIFIED

Security Classification